	Application No.	Applicant(s)
Notice of Allowability		
	09/916,924	LIN, SHUAIBIN
	Examiner	Art Unit
	Dwin M. Craig	2123
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>9/27/2005</u> .		
2. The allowed claim(s) is/are <u>9-11, 13-22, 24, 25 and 27-29</u> .		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the:		
1. Certified copies of the priority documents have been received.		
Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892)	5. The Notice of Informal F	Patent Application (PTO-152)
Notice of Neteriores Cited (176-662) Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Da 08), 7. ☐ Examiner's Amenda	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 09/916,924 Page 2

Art Unit: 2123

DETAILED ACTION

And

EXAMINER'S REASONS FOR ALLOWANCE

- 1. Claims 9-11, 13-22, 24, 25 and 27-29 are allowed.
- 2. Claims 1-8, 12, 23 and 26 are cancelled.

Examiner's Reasons for Allowance

- 3. The following is an examiner's statement of reasons for allowance: The Applicant's claims are allowed for at least the reasons provided below.
- 3.1 As regards independent claim 9, the following limitations are neither anticipated nor made obvious by the prior art, "selecting between a current state of the diagnostic module and the previous state stored with the backup register based on a trigger event". The Examiner notes that Applicant's expressly claimed limitation of having a backup register coupled to the diagnostic module is neither disclosed nor is the a motivation to find such a limitation in the cited US Patent 5,657,330 Matsumoto. The Examiner further notes that the combination of Applicant's instant amendments combined with the arguments presented in the 9/27/2005 have been persuasive and therefore all previously applied prior art rejections to claim 9 have been removed.
- 3.2 As regards independent claim 15, the following limitations are neither anticipated nor made obvious by the prior art, "coupled to the backup register for receiving the preceding state of the state machine". The Examiner notes that Applicant's expressly claimed limitation of

Art Unit: 2123

having a *backup* register coupled to the diagnostic module is neither disclosed nor is the a motivation to find such a limitation in the cited US Patent 5,657,330 Matsumoto. The Examiner further notes that the combination of Applicant's instant amendments combined with the arguments presented in the 9/27/2005 have been persuasive and therefore all previously applied prior art rejections to claim 15 have been removed.

- 3.3 As regards dependent claims 10, 11, 13, 14, 16-22, 24, 25 and 27-29 are allowed for at least the reason that they depend upon an allowed base claim.
- 3.4 Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dwin M. Craig whose telephone number is (571) 272-3710. The examiner can normally be reached on 10:00 - 6:00 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Leo P. Picard can be reached on (571) 272-3749. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DMC

Primary Examiner Art Unit 2125